



# Two Related Quantities, Part 1

Let's use tables, equations, and graphs to describe relationships.

## 16.1 What's the Relationship?

The table shows the relationship between Han's age and the age of a neighbor, a high school student.

Han's age (years)	neighbor's age (years)
6	
12	17
18	
	25
$h$	
	$n$

1. Complete the table to show their ages.
2. Describe the relationship between the ages of the two students in two ways.

## 16.2 Painting the Set


Lin needs to mix a specific shade of orange paint for the set of the school play. The color is a mixture of red and yellow paint.

- Complete the table to show different combinations of red and yellow paint that will make the shade of orange Lin needs.


cups of red paint	cups of yellow paint
2	3
6	
	12
12	
	21
1	
	1

- Use the values in the table to create two graphs that can represent the relationship between cups of red paint and cups of yellow paint.

**A**



**B**



- Describe the relationship between cups of red paint and cups of yellow paint in as many ways as you can.

Pause here for a discussion.

- Lin writes this equation to figure out the amount of yellow paint she will need if she knows the amount of red paint being used. In this equation,  $y$  represents cups of yellow paint and  $r$  represents cups of red paint.

$$y = \frac{3}{2}r$$

Do you agree that the equation represents the quantities in the situation? Explain your reasoning.

- What equation can we write to figure out the amount of red paint needed if we know the amount of yellow paint? Be prepared to explain how you know.



### Are you ready for more?

The owners of a fruit stand sell apples, peaches, and tomatoes. Today, they sold 4 apples for every 5 peaches. They sold 2 peaches for every 3 tomatoes. They sold 132 pieces of those three fruits in total. How many of each fruit did they sell?

## Lesson 16 Summary

Equations are very useful for representing the relationship in a set of equivalent ratios. Here is an example.

A cider recipe calls for 3 green apples for every 5 red apples. We can create a table to show some equivalent ratios.

We can see from the table that  $r$  is always  $\frac{5}{3}$  as large as  $g$  and that  $g$  is always  $\frac{3}{5}$  as large as  $r$ .

green apples ( $g$ )	red apples ( $r$ )
3	5
6	10
9	15
12	20

We can write equations to describe the relationship between  $g$  and  $r$ .

- When we know the number of green apples and want to find the number of red apples, we can write:

$$r = \frac{5}{3}g$$

In this equation, if  $g$  changes,  $r$  is affected by the change, so we refer to  $g$  as the **independent variable** and  $r$  as the **dependent variable**.

We can use this equation with any value of  $g$  to find  $r$ . If 270 green apples are used, then  $\frac{5}{3} \cdot (270)$  or 450 red apples are used.

- When we know the number of red apples and want to find the number of green apples, we can write:

$$g = \frac{3}{5}r$$

In this equation, if  $r$  changes,  $g$  is affected by the change, so we refer to  $r$  as the independent variable and  $g$  as the dependent variable.

We can use this equation with any value of  $r$  to find  $g$ . If 275 red apples are used, then  $\frac{3}{5} \cdot (275)$  or 165 green apples are used.

To help us see the relationship between the two quantities, we can also create two graphs, one graph that corresponds to each equation.

