# 0

### End Behavior (Part 1)


Let's investigate the shape of polynomials.

## 8.1


#### **Notice and Wonder: A Different View**

What do you notice? What do you wonder?

$$y = x^3 + 4x^2 - x - 4$$



$$y = x^4 - 10x^2 + 9$$



## 8.2

### **Polynomial End Behavior**

1. In the column for your assigned polynomial, evaluate for the different values of x. Discuss what you notice with your group.

X	$y = x^2 + 1$	$y = x^3 + 1$	$y = x^4 + 1$	$y = x^5 + 1$
-1000				
-100				
-10				
-1				
1				
10				
100				
1000				

2. Sketch what you think the **end behavior** of your polynomial looks like, then check your work using graphing technology.



#### Are you ready for more?

Mai is studying the function  $p(x) = -\frac{1}{100}x^3 + 25,422x^2 + 8x + 26$ . She makes a table of values for p with  $x = \pm 1, \pm 5, \pm 10, \pm 20$  and thinks that this function has large positive output values in both directions on the *x*-axis. Do you agree with Mai? Explain your reasoning.

#### **Two Polynomial Equations**

Consider the polynomial  $y = 2x^5 - 5x^4 - 30x^3 + 5x^2 + 88x + 60$ .

- 1. Identify the degree of the polynomial.
- 2. Which of the 6 terms,  $2x^5$ ,  $5x^4$ ,  $30x^3$ ,  $5x^2$ , 88x, or 60, is greatest when:
  - a. x = 0
  - b. x = 1
  - c. x = 3
  - d. x = 5
- 3. Describe the end behavior of the polynomial.

#### Lesson 8 Summary

The value of the leading term determines the **end behavior** of the function, that is, how the outputs of the function change as we look at input values farther and farther from 0.



Consider the polynomial  $P(x) = x^4 - 30x^3 - 20x^2 + 1000$ . The leading term,  $x^4$ , almost seems smaller than the other three terms, and for certain values of x, this is even true. But, for values of x far away from 0, the leading term will always have the greatest value. In the case of P, as x gets larger and larger in the positive and negative directions, the output of the function gets larger and larger in the positive direction.


х	$x^4$	$-30x^{3}$	$-20x^2$	1000	P(x)
-500	62,500,000,000	3,750,000,000	-5,000,000	1,000	66,245,001,000
-100	100,000,000	30,000,000	-200,000	1,000	129,801,000
-10	10,000	30,000	-2,000	1,000	39,000
0	0	0	0	1,000	1000
10	10,000	-30,000	-2,000	1,000	-21,000
100	100,000,000	-30,000,000	-200,000	1,000	69,801,000
500	62,500,000,000	-3,750,000,000	-5,000,000	1,000	58,745,001,000


If we graph  $y = x^2$ ,  $y = x^3$  and  $y = x^4$  and zoom out, we see the following:


 $y = x^2$ 



$$v = x^4$$







For both  $y = x^2$  and  $y = x^4$ , large positive values of x or large negative values of x each result in large positive values of y.

But for  $y = x^3$ , large positive values of x result in large positive values of y, while large negative values of x result in large negative values of y.