



Outliers and Means

Let's explore outliers in data sets.

14.1 Math Talk: Outliers

Evaluate each expression mentally.

- $20 + 1.5(10)$
- $20 - 1.5(10)$
- $20 + 1.5(14)$
- $20 + 1.5(13)$

14.2 Mountain Hike

Andre records how long it takes him (in minutes) to hike a mountain each day for 6 days.

50 52 58 55 59 50



1. Calculate the mean number of minutes it takes Andre to hike the mountain.

2. Andre plans to hike the same mountain trail one more day. Estimate the time it will take him to complete the trail for the seventh day. Explain your reasoning.

3. What do you think will happen to the mean time for the week if Andre's grandfather comes on the hike with him for the seventh day?

4. Andre and his grandfather hiked the mountain in 130 minutes. Calculate the mean hiking time for all seven days: 50, 52, 58, 55, 59, 50, 130.

5. If Andre's grandfather did not come with him on the hike, Andre thinks he could have finished the trail in 60 minutes. Calculate the mean hiking time for all seven days using Andre's estimate for the seventh day: 50, 52, 58, 55, 59, 50, 60.



14.3 The Meaning of an Outlier

For each set of data, answer these questions:

- Use the data to compute the quartiles ($Q1$ and $Q3$) and the interquartile range.
- Use the expressions $Q1 - 1.5 \cdot IQR$ and $Q3 + 1.5 \cdot IQR$ to help find where an outlier may be.
- Are any of the values outliers? Explain your reasoning.

1. The distances, in miles, of students' homes to the nearest park:

2.3, 4, 1.6, 15, 3.8, 0.75, 1.7

2. Han visits a website to find out the price of the next phone he wants to get. He sees the following prices, in dollars:

200, 485, 492, 512, 453, 503

3. The amount of points Clare scored in her last 8 basketball games:

17, 14, 16, 2, 13, 14, 15, 17



4. Kiran's math test scores, as percentages:

57, 82, 80, 85, 89, 84

5. The height in feet of the roller coasters at the amusement park:

415, 456, 423, 442, 30

