



Solutions to Inequalities in One Variable

Let's find and interpret solutions to inequalities in one variable.

2.1 Find a Value, Any Value

1. Write 3 solutions to the inequality $y \leq 9.2$. Be prepared to explain what makes a value a solution to this inequality.
2. Write one solution to the inequality $7(3 - x) > 14$. Be prepared to explain your reasoning.

2.2 Off to an Orchard


A teacher is choosing between two options for a class field trip to an orchard.

- At Orchard A, admission costs \$9 per person and 3 chaperones are required.
- At Orchard B, the cost is \$10 per person, but only 1 chaperone is required.
- At each orchard, the same price applies to both chaperones and students.



1. Which orchard would be cheaper to visit if the class has:
 - a. 8 students?
 - b. 12 students?
 - c. 30 students?
2. To help her compare the cost of her two options, the teacher first writes the equation $9(n + 3) = 10(n + 1)$, and then she writes the inequality $9(n + 3) < 10(n + 1)$.
 - a. What does n represent in each statement?
 - b. In this situation, what does the equation $9(n + 3) = 10(n + 1)$ mean?

- c. What does the solution to the inequality $9(n + 3) < 10(n + 1)$ tell us?
- d. Graph the solution to the inequality on the number line. Be prepared to show or explain your reasoning.



2.3 Part-Time Work

To help pay for his tuition, a college student plans to work in the evenings and on weekends. He has been offered two part-time jobs: working in the guest-services department at a hotel and waiting tables at a popular restaurant.

- The job at the hotel pays \$18 an hour and offers \$33 in transportation allowance per month.
- The job at the restaurant pays \$7.50 an hour plus tips. The entire wait staff typically collects about \$50 in tips each hour. Tips are divided equally among the 4 wait-staff members who share a shift.

1. The equation $7.50h + \frac{50}{4}h = 18h + 33$ represents a possible constraint about the situation.
 - a. Solve the equation and check your solution.
 - b. Here is a graph on a number line.

Put a scale on the number line so that the point marked with a circle represents the solution to the equation.

2. Does one job pay better if:
 - a. The student works fewer hours than the solution you found earlier? If so, which job?
 - b. The student works more hours than the solution you found earlier? If so, which job?
3. Here are two inequalities and two graphs that represent the solutions to the inequalities.

- Inequality 1: $7.50h + \frac{50}{4}h < 18h + 33$
- Inequality 2: $7.50h + \frac{50}{4}h > 18h + 33$

A



B




- Put the same scale on each number line so that the circle represents the number of hours that you found earlier.
- Match each inequality with a graph that shows its solution. Be prepared to explain or show how you know.

2.4

Equality and Inequality

- Solve this equation, and check your solution: $-\frac{4(x+3)}{5} = 4x - 12$.
- Consider the inequality: $-\frac{4(x+3)}{5} \leq 4x - 12$.
 - Choose a couple of values less than 2 for x . Are they solutions to the inequality?
 - Choose a couple of values greater than 2 for x . Are they solutions to the inequality?
 - Choose 2 for x . Is it a solution?
 - Graph the solution to the inequality on the number line.



Are you ready for more?

Here is a different type of inequality: $x^2 \leq 4$.

- Is 1 a solution to the inequality? Is 3 a solution? How about -3?
- Describe all solutions to this inequality. (If you like, you can graph the solutions on a number line.)
- Describe all solutions to the inequality $x^2 \geq 9$. Test several numbers to make sure that your answer is correct.

2.5

More or Less?

Consider the inequality $-\frac{1}{2}x + 6 < 4x - 3$. Let's look at another way to find its solutions.



1. Use graphing technology to graph $y = -\frac{1}{2}x + 6$ and $y = 4x - 3$ on the same coordinate plane.
2. Use your graphs to answer the following questions:
 - a. Find the values of $-\frac{1}{2}x + 6$ and $4x - 3$ when x is 1.
 - b. What value of x makes $-\frac{1}{2}x + 6$ and $4x - 3$ equal?
 - c. For what values of x is $-\frac{1}{2}x + 6$ less than $4x - 3$?
 - d. For what values of x is $-\frac{1}{2}x + 6$ greater than $4x - 3$?
3. What is the solution to the inequality $-\frac{1}{2}x + 6 < 4x - 3$? Be prepared to explain how you know.

Lesson 2 Summary

The equation $\frac{1}{2}t = 10$ is an equation in one variable. Its solution is any value of t that makes the equation true. Only $t = 20$ meets that requirement, so 20 is the only solution.

The inequality $\frac{1}{2}t > 10$ is an inequality in one variable. Any value of t that makes the inequality true is a solution. For instance, 30 and 48 are both solutions because substituting these values for t produces true inequalities. $\frac{1}{2}(30) > 10$ is true, as is $\frac{1}{2}(48) > 10$. Because the inequality has a range of values that make it true, we sometimes refer to *all* the solutions as the *solution set*.

One way to find the solutions to an inequality is by reasoning. For example, to find the solution to $2p < 8$, we can reason that if 2 times a value is less than 8, then that value must be less than 4. So a solution to $2p < 8$ is any value of p that is less than 4.

Another way to find the solutions to $2p < 8$ is to solve the related equation $2p = 8$. In this case, dividing each side of the equation by 2 gives $p = 4$. This point, where p is 4, is the *boundary* of the solution to the inequality.

To find out the range of values that make the inequality true, we can try values less than and greater than 4 in our inequality and see which ones make a true statement.

Let's try some values less than 4:

- If $p = 3$, the inequality is $2(3) < 8$ or $6 < 8$, which is true.
- If $p = -1$, the inequality is $2(-1) < 8$ or $-2 < 8$, which is also true.

Let's try values greater than 4:

- If $p = 5$, the inequality is $2(5) < 8$ or $10 < 8$, which is false.
- If $p = 12$, the inequality is $2(12) < 8$ or $24 < 8$, which is also false.

In general, the inequality is false when p is greater than or equal to 4 and true when p is less

than 4.

We can represent the solution set to an inequality by writing an inequality, $p < 4$, or by graphing on a number line. The ray pointing to the left represents all values less than 4.

