



Causal Relationships

Let's get a closer look at related variables.

9.1 Used Car Relationships


Describe the strength and sign of the relationship you expect for each pair of variables. Be prepared to explain your reasoning.

1. Used car price and original sale price of the car.
2. Used car price and number of cup holders in the car.
3. Used car price and number of oil changes the car has had.
4. Used car price and number of miles the car has been driven.

9.2 Cause or Effect?


Each of the scatter plots show a strong relationship. Write a sentence or two describing how you think the variables are related.

1.



During the month of April, Elena keeps track of the number of inches of rain recorded for each day and the percentage of people who come to school with rain jackets on that day.

2.



A school book club has a list of 100 books for its members to read. They keep track of the number of pages in each book that the members read from the list and the amount of time it took to read each book.

A scatter plot with 'number of tickets left' on the x-axis (0 to 200) and 'noise level in decibels' on the y-axis (0 to 100). There are 20 data points represented by black dots. A blue line of best fit starts at approximately (0, 78) and ends at approximately (200, 53), indicating a negative correlation.

number of tickets left	noise level in decibels
10	85
20	75
25	73
30	74
35	72
40	73
60	63
65	75
85	63
100	65
105	52
115	55
115	69
145	62
155	64
160	67
165	67
180	63
180	53
180	55
185	51
190	51

A venue hosts holiday parties. On the day of each party, they count the tickets remaining and the noise level at the party.

A scatter plot showing the relationship between tree height (in feet) and the number of rings. The x-axis is labeled 'height in feet' and ranges from 0 to 70 with major tick marks every 10 units. The y-axis is labeled 'number of rings' and ranges from 0 to 100 with major tick marks every 10 units. There are 25 data points represented by black dots. A blue line of best fit is drawn through the data, showing a positive correlation. The line starts at approximately (35, 55) and ends at approximately (65, 100).

height in feet	number of rings
38	60
39	65
40	60
41	65
45	55
46	55
47	65
48	65
49	65
50	65
51	70
52	65
53	70
54	80
55	85
56	95
57	90
58	85
59	85
60	85
61	100
62	95
65	85
65	100

Pine trees grow in a forest. An arborist measures the height, in feet, of trees in a pine forest and counts the number of rings found in core samples from each tree.

Describe a pair of variables with each condition. Explain your reasoning.

1. Two variables have a **causal relationship**.
2. The variables are strongly related, but a third factor might be the cause for the changes in the variables.
3. The variables are only weakly related.



Are you ready for more?

1. Look through news articles or advertisements for claims of causation or correlation. Find 2 or 3 claims, and read or watch the articles or the advertisement. Answer these questions for each of the claims.
 - a. What is the claim?
 - b. What evidence is provided for the claim?
 - c. Does there appear to be evidence for causation or correlation? Explain your thinking
2. Choose the claim with the least or no evidence. Describe an experiment or other way that you could collect data to show correlation or causation.

Lesson 9 Summary

Humans are wired to look for connections and then use those connections to learn about the world around them. One way to notice connections is by looking for a pair of variables with a relationship. In order to learn about how the variables are related, we want to control one of the variables and see if there are changes in the other variable. For example, if we notice that people who tend to eat many calories also have a higher chance of having a heart attack, we might wonder if lowering our calorie intake would improve our health.

One common mistake people tend to make while using statistics is thinking that all relationships between variables are causal. Scatter plots can only show a relationship between the two variables. To determine if a change in one of the variables actually causes a change in the other variable, or if it has a **causal relationship**, the context must be better understood, and other options must be ruled out.

For example, we might expect to see a strong, positive relationship between the number of snowboard rentals and sales of hot chocolate during the months of September through January. This does not mean that an increase in snowboard rentals causes people to purchase more hot chocolate. Nor does it mean that increased sales of hot chocolate cause people to rent snowboards more. More likely there is a third variable, such as colder weather, that might be causing both variables to increase at the same time.

On the other hand, sometimes there is a causal relationship. A strong, positive relationship between hot chocolate sales and small marshmallow sales may be linked, because people buying hot chocolate may want to add small marshmallows to the drink, so an increase in the sales of hot chocolate are actually causing the marshmallow sale increase.

Finding relationships with the help of the correlation coefficient is a very good way to notice that there is a connection between variables. To determine whether the relationship is causal, the next step is usually to carefully design an experiment that isolates and precisely controls only one of the variables to determine how it affects the other variable.