



# Interpreting and Using Exponential Functions

Let's explore the ages of ancient things.

## 7.1 Halving and Doubling

1. A colony of microbes is growing exponentially and doubles in population every 6 hours.  
Explain why we could say that the population grows by a factor of  $\sqrt[6]{2}$  every hour.
2. A bacteria population decreases exponentially by a factor of  $\frac{1}{2}$  every 4 hours.  
Explain why we could also say that the population decays by a factor of  $\sqrt[4]{\frac{1}{2}}$  every hour.



7.2

Radiocarbon Dating

Carbon-14 is used to find the age of certain artifacts and fossils. It has a half-life of 5,730 years, so if an object has carbon-14, it loses half of it every 5,730 years.

1. At a certain point in time, a fossil had 3 picograms (a trillionth of a gram) of carbon-14. Complete the table with the missing mass of carbon-14 and years.

| number of years after fossil had 3 picograms of carbon-14 | mass of carbon-14 in picograms |
|-----------------------------------------------------------|--------------------------------|
| 0                                                         | 3                              |
| 1,910                                                     |                                |
| 5,730                                                     |                                |
|                                                           | 0.75                           |

2. A scientist uses the expression  $(2.5) \cdot \left(\frac{1}{2}\right)^{\frac{t}{5,730}}$  to model the number of picograms of carbon-14 remaining in a different fossil  $t$  years after 20,000 BC.
- a. What do the 2.5,  $\frac{1}{2}$ , and 5,730 mean in this situation?
- b. Would more or less than 0.1 picogram of carbon-14 remain in this fossil today? Explain how you know.



## 7.3

## Old Manuscripts

The half-life of carbon-14 is about 5,730 years.

1. Pythagoras lived between 600 BCE and 500 BCE. Explain why the age of a papyrus from the time of Pythagoras is about half of a carbon-14 half-life.
2. Someone claims they have a papyrus scroll written by Pythagoras. Testing shows the scroll has 85% of its original amount of carbon-14 remaining. Explain why the scroll is likely a fake.



### Are you ready for more?

A copy of the Gutenberg Bible, the first book to be mass produced using a printing press, was made around 1450. Would more or less than 90% of the carbon-14 remain in the paper today? Explain how you know.

## Lesson 7 Summary

Some substances change over time through a process called radioactive decay, and their rate of decay can be measured or estimated. Let's take sodium-22 as an example.

Suppose a scientist finds 4 nanograms of sodium-22 in a sample of an artifact. (One nanogram is 1 billionth, or  $10^{-9}$ , of a gram.) Approximately every 3 years, half of the sodium-22 decays. We can represent this change with a table.

| number of years after first being measured | mass of sodium-22 in nanograms |
|--------------------------------------------|--------------------------------|
| 0                                          | 4                              |
| 3                                          | 2                              |
| 6                                          | 1                              |
| 9                                          | 0.5                            |

This can also be represented by an equation. If the function  $f$  gives the number of nanograms of sodium-22 remaining after  $t$  years, then

$$f(t) = 4 \cdot \left(\frac{1}{2}\right)^{\frac{t}{3}}$$

The 4 represents the number of nanograms in the sample when it was first measured, while the  $\frac{1}{2}$  and 3 show that the amount of sodium-22 is cut in half every 3 years, because if you increase  $t$  by 3, you increase the exponent by 1.

How much of the sodium-22 remains after one year? Using the equation, we find

$f(1) = 4 \cdot \left(\frac{1}{2}\right)^{\frac{1}{3}}$ . This is about 3.2 nanograms.

About how many years after the first measurement will there be about 0.015 nanogram of sodium-22? One way to find out is by extending the table and multiplying the mass of sodium-22 by  $\frac{1}{2}$  each time. If we multiply 0.5 nanogram (the mass of sodium-22 9 years after first being measured) by  $\frac{1}{2}$  five more times, the mass is about 0.016 nanogram. For sodium-22, five half-lives means 15 years, so 24 years after the initial measurement, the amount of sodium-22 will be about 0.015 nanogram.

Archaeologists and scientists use exponential functions to help estimate the ages of ancient things.