# **Lesson 3: Balanced Moves**

Let's rewrite equations while keeping the same solutions.

## **3.1: Matching Hangers**

Figures A, B, C, and D show the result of simplifying the hanger in Figure A by removing equal weights from each side.



Here are some equations. Each equation represents one of the hanger diagrams.

$$2(x + 3y) = 4x + 2y$$
$$2y = x$$
$$2(x + 3y) + 2z = 2z + 4x + 2y$$
$$x + 3y = 2x + y$$

- 1. Write the equation that goes with each figure:
  - A: B:

\_.

- C:
- D:

Grade 8 Unit 4 Lesson 3



- 2. Each variable (*x*, *y*, and *z*) represents the weight of one shape. Which goes with which?
- 3. Explain what was done to each equation to create the next equation. If you get stuck, think about how the hangers changed.

#### **3.2: Matching Equation Moves**

Your teacher will give you some cards. Each of the cards 1 through 6 show two equations. Each of the cards A through E describe a move that turns one equation into another.

- 1. Match each number card with a letter card.
- 2. One of the letter cards will not have a match. For this card, write two equations showing the described move.

## 3.3: Keeping Equality

1. Noah and Lin both solved the equation $14$	4a = 2(a - 3).	
Do you agree with either of them? Why?	Noah's solution:	Lin's solution:

14a = 2(a - 3)	14a = 2(a - 3)
14a = 2a - 6	7a = a - 3
12a = -6	6a = -3
1	1
$a = -\frac{1}{2}$	$a = -\frac{1}{2}$

- 2. Elena is asked to solve 15 10x = 5(x + 9). What do you recommend she does to each side first?
- 3. Diego is asked to solve 3x 8 = 4(x + 5). What do you recommend he does to each side first?



#### Are you ready for more?

In a cryptarithmetic puzzle, the digits 0–9 are represented with letters of the alphabet. Use your understanding of addition to find which digits go with the letters A, B, E, G, H, L, N, and R.

HANGER + HANGER + HANGER = ALGEBRA

#### **Lesson 3 Summary**

An equation tells us that two expressions have equal value. For example, if 4x + 9 and -2x - 3 have equal value, we can write the equation

4x + 9 = -2x - 3

Earlier, we used hangers to understand that if we add the same positive number to each side of the equation, the sides will still have equal value. It also works if we add *negative numbers*! For example, we can add -9 to each side of the equation.

4x + 9 + -9 = -2x - 3 + -9 add -9 to each side 4x = -2x - 12 combine like terms

Since expressions represent numbers, we can also add *expressions* to each side of an equation. For example, we can add 2x to each side and still maintain equality.

4x + 2x = -2x - 12 + 2x add 2x to each side 6x = -12 combine like terms

If we multiply or divide the expressions on each side of an equation by the same number, we will also maintain the equality (so long as we do not divide by zero).

$$6x \cdot \frac{1}{6} = -12 \cdot \frac{1}{6}$$
 multiply each side by  $\frac{1}{6}$ 

or

 $6x \div 6 = -12 \div 6$  divide each side by 6

Now we can see that x = -2 is the solution to our equation.

We will use these moves in systematic ways to solve equations in future lessons.