

Scope and Sequence for Grado 3

The big ideas in grade 3 include: developing understanding of multiplication and division and strategies for multiplication and division within 100; developing understanding of fractions, especially unit fractions (fractions with numerator 1); developing understanding of the structure of rectangular arrays and of area; and describing and analyzing two-dimensional shapes.

The mathematical work for grade 3 is partitioned into 8 units:

1. Introducing Multiplication
2. Area and Multiplication
3. Wrapping Up Addition and Subtraction within 1,000
4. Relating Multiplication to Division
5. Fractions as Numbers
6. Measuring Length, Time, Liquid Volume, and Weight
7. Two-dimensional Shapes and Perimeter
8. Putting it All Together

Unit 1: Conozcamos la multiplicación

In this unit, students interpret and represent data on scaled picture graphs and scaled bar graphs. Then they learn the concept of multiplication.

This is the first of four units that focus on multiplication. In this unit, students explore scaled picture graphs and bar graphs as an entry point for learning about equal-size groups and multiplication.

In grade 2, students analyzed picture graphs in which one picture represented one object and bar graphs that were scaled by single units. Here, students encounter picture graphs in which each picture represents more than one object and bar graphs that are scaled by 2, 5, or 10 units. The idea that one picture can represent multiple objects helps to introduce the idea of equal-size groups.

Students learn that multiplication can mean finding the total number of objects in a groups of b objects each, and can be represented by $a \times b$. They then relate the idea of equal groups and the expression $a \times b$ to the rows and columns of an array. In working with arrays, students begin to notice the commutative property of multiplication.

In all cases, students make sense of the meaning of multiplication expressions before finding their value and before writing equations that relate two factors and a product.

Later in the unit, students see situations in which the total number of objects is known but either the number of groups or the size of each group is not known. Problems with a missing factor offer students a preview to division.

Throughout the unit, students should have access to connecting cubes or counters, as they may choose to use such tools to represent and solve problems.

Section A: Interpretemos y representemos datos en gráficas con escala

- Lesson 1: Demos sentido a los datos
- Lesson 2: Representemos datos y resolvamos problemas
- Lesson 3: Gráficas de dibujos con escala
- Lesson 4: Hagamos gráficas de dibujos con escala
- Lesson 5: Representemos datos en gráficas de barras con escala



- Lesson 6: Escojamos una escala
- Lesson 7: Respondamos preguntas sobre gráficas de barras con escala
- Lesson 8: Más preguntas sobre gráficas de barras con escala

Section B: De gráficas a multiplicación

- Lesson 9: Multiplicación de grupos iguales
- Lesson 10: Situaciones, dibujos, y diagramas, ¡oh, vaya!
- Lesson 11: Expresiones de multiplicación
- Lesson 12: Representemos y resolvamos problemas de multiplicación
- Lesson 13: Ecuaciones de multiplicación
- Lesson 14: Escribamos y resolvamos ecuaciones con números desconocidos
- Lesson 15: Más factores, más problemas

Section C: Representemos la multiplicación con arreglos y la propiedad conmutativa

- Lesson 16: Organicemos objetos en arreglos
- Lesson 17: Emparejemos y dibujemos arreglos
- Lesson 18: Representemos arreglos con expresiones
- Lesson 19: Resolvamos problemas que incluyen arreglos
- Lesson 20: La propiedad conmutativa
- Lesson 21: Planificación de los asientos para una noche de juegos

Unit 2: Área y multiplicación

In this unit, students encounter the concept of area, relate the area of a rectangle to multiplication, and solve problems involving area.

In grade 2, students explored attributes of shapes, such as number of sides, number of vertices, and lengths of sides. They measured and compared lengths (including side lengths of shapes).



In this unit, students make sense of another attribute of shapes: a measure of how much space a shape covers. They begin informally, by comparing two shapes and deciding which one covers more space. Later, they compare more precisely by tiling shapes with pattern blocks and square tiles. Students learn that the area of a flat figure is the number of square units that cover it without gaps or overlaps.

Students then focus on the area of a rectangle. They notice that a rectangle tiled with squares forms an array, with the rows and the columns as equal-size groups. This observation allows them to connect the area of a rectangle to multiplication—as a product of the number of rows and the number of squares per row.

To transition from counting to multiplying side lengths, students reason about area, using increasingly more abstract representations. They begin with tiled or gridded rectangles, move to partially gridded rectangles or those with marked sides, and end with rectangles labeled with their side lengths.

$$6 \times 3 = 18$$





Students also learn some standard units of area—square inch, square centimeter, square foot, and square meter—and solve real-world problems involving the areas of rectangles.

Later in the unit, students find the area and the unknown side lengths of figures composed of non-overlapping rectangles. This work includes cases with two non-overlapping rectangles that share one side, which lays the groundwork for understanding the distributive property of multiplication in a later unit.

Section A: Conceptos de mediciones de área

- Lesson 1: ¿Qué es el área?
- Lesson 2: ¿Cómo medimos el área?
- Lesson 3: Recubramos rectángulos
- Lesson 4: Área de un rectángulo

Section B: Relacionemos el área con la multiplicación

- Lesson 5: Representemos productos como áreas
- Lesson 6: Unidades cuadradas diferentes (parte 1)
- Lesson 7: Unidades cuadradas diferentes (parte 2)
- Lesson 8: Área de un rectángulo sin cuadrícula
- Lesson 9: Midamos para encontrar el área
- Lesson 10: Resolvamos problemas de área
- Lesson 11: Área y la tabla de multiplicar

Section C: Encontremos el área de una figura compuesta por rectángulos

- Lesson 12: Área y suma
- Lesson 13: Encontremos el área de una figura
- Lesson 14: Encontremos el área de una figura que tiene lados de longitudes desconocidas
- Lesson 15: La nueva habitación

Unit 3: Concluyamos suma y resta hasta 1,000

In this unit, students work toward the goal of fluently adding and subtracting within 1,000. They use mental math strategies developed in grade 2, and learn algorithms based on place value.

In grade 2, students added and subtracted within 1,000, using strategies based on place value, properties of operations, and the relationship between addition and subtraction. When students combine hundreds, tens, and ones, they use place-value understanding. When they decompose numbers to add or subtract, they rely on the commutative and associative properties. When students count up to subtract, they use the relationship between addition and subtraction.

To move toward fluency, students learn a few different algorithms that work with any numbers and are generalizable to greater numbers and decimals. Students work with a variety of algorithms, starting with those that show expanded



form, and moving toward algorithms that are more streamlined and closer to the standard algorithm.

$$\begin{array}{r} 300 + 30 + 7 \\ + 200 + 30 + 6 \\ \hline 500 + 60 + 13 \end{array}$$

$$\begin{array}{r} 60 13 \\ (500 + \cancel{70} + \cancel{3}) \\ - (200 + 30 + 6) \\ \hline 300 + 30 + 7 \end{array}$$

Students explore various algorithms but are not required to use a specific one. They should, however, move from the strategy-based work of grade 2 to algorithm-based work, to set the stage for using the standard algorithm in grade 4. If students begin the unit with knowledge of the standard algorithm, it is still important for them to make sense of the place-value basis of the algorithm.

Understanding of place value also comes into play as students round numbers to the nearest multiples of 10 and of 100. Students do not need to know a formal definition of “multiples” until grade 4. At this point, it is enough to recognize that a multiple of 10 is a number called out when counting by 10, or the total in a whole-number of tens (such as 8 tens). Likewise, a multiple of 100 is a number called out when counting by 100, or the total in a whole-number of hundreds (such as 6 hundreds). Students use rounding to estimate answers to two-step problems and to determine if answers are reasonable.

Section A: Sumemos hasta 1,000

- Lesson 1: Representemos números de distintas maneras
- Lesson 2: Situaciones de suma y resta
- Lesson 3: Suma a tu manera
- Lesson 4: Conozcamos los algoritmos de suma
- Lesson 5: Otro algoritmo de suma
- Lesson 6: Usemos estrategias y algoritmos para sumar

Section B: Restemos hasta 1,000

- Lesson 7: Resta a tu manera
- Lesson 8: Algoritmos de resta (parte 1)
- Lesson 9: Algoritmos de resta (parte 2)
- Lesson 10: Algoritmos de resta (parte 3)
- Lesson 11: Analicemos algoritmos de resta
- Lesson 12: Restemos estratégicamente

Section C: Redondeemos hasta 1,000

- Lesson 13: Múltiplos de 100
- Lesson 14: Los múltiplos de 10 y de 100 más cercanos
- Lesson 15: Redondeemos a la decena más cercana y a la centena más cercana
- Lesson 16: Redondeemos y redondeemos otra vez

Section D: Resolvamos problemas de dos pasos

- Lesson 17: ¿Tiene sentido?
- Lesson 18: Diagramas y ecuaciones para problemas en palabras



- Lesson 19: Situaciones y ecuaciones
- Lesson 20: Más práctica en representar y resolver
- Lesson 21: Útiles para el salón de clase


Unit 4: Relacionemos la multiplicación con la división

This unit introduces students to the concept of division and its relationship to multiplication.


Previously, students learned that multiplication can be understood in terms of equal-size groups. The expression 5×2 can represent the total number of objects when there are 5 groups of 2 objects, or when there are 2 groups of 5 objects.

Here, students make sense of division also in terms of equal-size groups. For instance, the expression $30 \div 5$ can represent putting 30 objects into 5 equal groups, or putting 30 objects into groups of 5. Students see that, in general, dividing can mean finding the size of each group, or finding the number of equal groups.


30 objects put into 5 equal groups




30 objects put into groups of 5



Students use the relationship between multiplication and division to develop fluency with single-digit multiplication and division facts. They continue to reason about products of two numbers in terms of the area of rectangles whose side lengths represent the factors, decomposing side lengths and applying properties of operations along the way.



As they multiply numbers greater than 10, students see that it is helpful to decompose the two-digit factor into tens and ones and distribute the multiplication. For instance, to find the value of 26×3 , they can decompose the 26 into 20 and 6, and then multiply each by 3.



Toward the end of the unit, students solve two-step problems that involve all four operations. In some situations, students work with expressions that use parentheses to indicate which operation is completed first (for example: $276 + (45 \div 5) = ?$).

Section A: ¿Qué es la división?

- Lesson 1: ¿Cuántos grupos?
- Lesson 2: ¿Cuántos hay en cada grupo?
- Lesson 3: Dibujos de situaciones de división
- Lesson 4: Interpretemos expresiones de división
- Lesson 5: Escribamos expresiones de división

Section B: Relacionemos la multiplicación y la división

- Lesson 6: La división como un factor desconocido
- Lesson 7: Relacionemos multiplicación y división
- Lesson 8: Relacionemos cocientes con productos que nos sabemos
- Lesson 9: Patrones en la tabla de multiplicar
- Lesson 10: Exploremos estrategias de multiplicación con rectángulos
- Lesson 11: Estrategias de multiplicación para rectángulos sin cuadrícula

Section C: Multipliquemos números mayores

- Lesson 12: Multipliquemos múltiplos de 10
- Lesson 13: Resolvamos problemas de grupos iguales
- Lesson 14: Formas de representar la multiplicación de números del 11 al 19
- Lesson 15: Grupos iguales, números mayores
- Lesson 16: Multipliquemos números mayores que 20
- Lesson 17: Usemos las 4 operaciones para resolver problemas



Section D: Dividamos números mayores

- Lesson 18: Números mayores en grupos iguales
- Lesson 19: Formas de dividir números mayores
- Lesson 20: Estrategias para dividir
- Lesson 21: Resolvamos problemas usando las 4 operaciones
- Lesson 22: La huerta comunitaria de la escuela

Unit 5: Fracciones como números


In this unit, students make sense of fractions as numbers, using various diagrams to represent and reason about fractions, compare their sizes, and relate them to whole numbers. The denominators of the fractions explored here are limited to 2, 3, 4, 6, and 8.

In grade 2, students partitioned circles and rectangles into equal parts and used the language “halves,” “thirds,” and “fourths.” Students begin this unit in a similar way, by reasoning about the sizes of shaded parts in shapes. Next, they create fraction strips by folding strips of paper into equal parts, and later represent the strips as tape diagrams.




Using fraction strips and tape diagrams to represent fractions prepare students to think about fractions more abstractly as lengths and locations on the number line. This work builds on students’ prior experience with representing whole numbers on the number line.

In each representation, students take care to identify 1 whole. This helps them reason about the size of the parts and whether a fraction is less than or greater than 1. (Fractions greater than 1 are not treated as special cases.)



Students then use these representations to learn about equivalent fractions and to compare fractions.

They see that fractions are equivalent if they are the same size or at the same location on the number line, and that some fractions are the same size as whole numbers.



Later in the unit, students compare fractions with the same denominator and those with the same numerator. They recognize that as the numerator gets larger, more parts are counted, and as the denominator gets larger, the size of each part that makes up the whole gets smaller.

Section A: Introducción a las fracciones

- Lesson 1: Nombremos las partes
- Lesson 2: Nombremos partes como fracciones
- Lesson 3: Fracciones no unitarias
- Lesson 4: Construyamos fracciones a partir de fracciones unitarias

Section B: Fracciones en la recta numérica

- Lesson 5: A la recta numérica
- Lesson 6: Ubiquemos fracciones unitarias en la recta numérica
- Lesson 7: Fracciones no unitarias en la recta numérica
- Lesson 8: Fracciones y números enteros
- Lesson 9: Toda clase de números en la recta numérica

Section C: Fracciones equivalentes

- Lesson 10: Fracciones equivalentes
- Lesson 11: Generemos fracciones equivalentes
- Lesson 12: Fracciones equivalentes en una recta numérica
- Lesson 13: Números enteros y fracciones

Section D: Comparemos fracciones

- Lesson 14: ¿Cómo comparas fracciones?
- Lesson 15: Comparemos fracciones que tienen el mismo denominador
- Lesson 16: Comparemos 2 fracciones que tienen el mismo numerador
- Lesson 17: Comparemos fracciones
- Lesson 18: Planeemos una carrera solidaria

Unit 6: Midamos longitud, tiempo, volumen líquido y peso


In this unit, students measure length, weight, liquid volume, and time. They begin with a study of length measurement, building on their recent work with fractions.

In grade 2, students measured lengths using informal and formal units to the nearest whole number. They also plotted such length data on line plots. Here, students explore length measurements in halves and fourths of an inch. They use a ruler to collect measurements and then display the data on line plots, learning about mixed numbers and revisiting equivalent fractions along the way.

Kiran says that the worm is $4\frac{2}{4}$ inches long.


Jada says that the worm is $4\frac{1}{2}$ inches long.

Use the ruler to explain how both of their measurements are correct.



Next, students learn about standard units for measuring weight (kilograms and grams) and liquid volume (liters). To build a sense of the weight of 1 gram or 1 kilogram, students hold common objects such as paper clips and bottles of water.

To gain familiarity with liters, students measure the volume of a container by filling it with water by the liter and estimate the volume of everyday containers such as pots, tubs, and buckets. They then use the scale on measurement tools to measure and represent the volume of liquids.



From there, students move on to measure time. In grade 2, they told and wrote time to the nearest 5 minutes. Now, they tell time to the minute, using the relationship between the hour hand and the minute hand to make sense of times such as 3:57 p.m.

In the final section of the unit, students make sense of and solve problems related to all three measurements. The work here allows students to continue to develop their fluency with addition and subtraction within 1,000 and understanding of properties of operations. It also prompts them to use the relationship between multiplication and division to solve problems.

Section A: Datos de mediciones en diagramas de puntos

- Lesson 1: Midamos en mitades de pulgada
- Lesson 2: Midamos en cuartos de pulgada
- Lesson 3: Midamos en mitades y en cuartos de pulgada
- Lesson 4: Interpretemos datos de medidas que están en diagramas de puntos
- Lesson 5: Representemos datos de medidas en diagramas de puntos

Section B: Peso y volumen líquido

- Lesson 6: Estimemos y midamos pesos
- Lesson 7: Introducción al volumen líquido
- Lesson 8: Estimemos y midamos volúmenes líquidos

Section C: Problemas sobre el tiempo

- Lesson 9: La hora al minuto más cercano
- Lesson 10: Resolvamos problemas sobre el tiempo (parte 1)
- Lesson 11: Resolvamos problemas sobre el tiempo (parte 2)


Section D: Problemas de mediciones en contexto

- Lesson 12: Maneras de representar situaciones de medidas
- Lesson 13: Problemas en los que falta información
- Lesson 14: ¿Qué tiene sentido en este problema?
- Lesson 15: Maneras de resolver problemas y de mostrar soluciones
- Lesson 16: Diseñemos un juego

Unit 7: Figuras de dos dimensiones y perímetro

In this unit, students reason about attributes of two-dimensional shapes and learn about perimeter.


Students learn to describe, compare, and sort two-dimensional shapes in earlier grades. In this unit, students continue to develop language that is increasingly more precise to describe and categorize shapes. Students learn to classify broader categories of shapes (quadrilaterals and triangles) into more specific subcategories based on their attributes. For instance, they study examples and non-examples of rhombuses, rectangles, and squares, to recognize their specific attributes.



Students also expand their knowledge about attributes that can be measured.

Previously, they learned the meaning of area and found the area of rectangles and figures composed of rectangles. In this unit, students learn the meaning of perimeter and find the perimeter of shapes. They consider geometric attributes of shapes (such as opposite sides having the same length) that can help them find perimeter.

Find the perimeter of this rectangle.



As the lessons progress, they consider situations that involve perimeter, and then those that involve both perimeter and area. These lessons aim to distinguish the two attributes (which are commonly confused) and reinforce that perimeter measures length or distance (in length units) and area measures the amount of space covered by a shape (in square units).

At the end of the unit, students solve problems in a variety of contexts. They apply what they learn about geometric attributes of shapes, perimeter, and area, to design a park, and a West African wax print pattern. They then solve

problems within the context of their design.

Section A: Razonemos con figuras

- Lesson 1: ¿Qué características ves?
- Lesson 2: Características de los triángulos y los cuadriláteros
- Lesson 3: Características que definen figuras
- Lesson 4: Características de los rectángulos, los rombos y los cuadrados
- Lesson 5: Características de otros cuadriláteros

Section B: ¿Qué es el perímetro?

- Lesson 6: Distancia alrededor de las figuras
- Lesson 7: Mismo perímetro, figuras diferentes
- Lesson 8: Encontremos el perímetro
- Lesson 9: Problemas sobre perímetro

Section C: Profundicemos sobre el perímetro

- Lesson 10: Resolvamos problemas sobre perímetros y áreas
- Lesson 11: Rectángulos que tienen el mismo perímetro
- Lesson 12: Rectángulos que tienen la misma área

Section D: Diseños con perímetro y área

- Lesson 13: Figuras y juegos
- Lesson 14: Estampados de cera
- Lesson 15: Un espacio para las gallinas

Unit 8: Conectemos todo


In this unit, students revisit major work and fluency goals of the grade, applying their learning from the year.

In Section A, students reinforce what they learned about fractions, their sizes, and their locations on the number line. In Section B, students deepen their understanding of perimeter, area, and scaled graphs by solving problems about measurement and data. Two of the lessons invite students to design a tiny house that meets certain conditions and to calculate the cost for furnishing it.

Section C enables students to work toward multiplication and division fluency goals through games. In Section D, students review major work of the grade as they create activities in the format of the *Warm-up* routines they have encountered throughout the year (*Notice and Wonder*, *Estimation Exploration*, *Number Talk*, and *How Many Do You See?*).

How many do you see? How do you see them?





The concepts and skills strengthened in this unit prepare students for major work in grade 4: comparing, adding, and subtracting fractions, multiplying and dividing within 1,000, and using the standard algorithm to add and subtract multi-digit numbers within 1 million.

The sections in this unit are standalone sections, with no requirement to be completed in order. Within each section, many lessons also can be completed independently of those preceding them. The goal is to offer ample opportunities for students to integrate the knowledge they have gained and to practice skills related to the expected fluencies of the grade.

Section A: Diversión con fracciones

- Lesson 1: Exploremos estimaciones con fracciones
- Lesson 2: Hagan su propia recta numérica
- Lesson 3: Mesa redonda sobre fracciones

Section B: Medidas y datos

- Lesson 4: Minicasa: Diseñemos y resolvamos
- Lesson 5: Minicasa: Costo
- Lesson 6: Encuestemos a la clase, encuestemos a la escuela
- Lesson 7: Grafiquemos y respondamos

Section C: Juegos de multiplicación y división

- Lesson 8: Día de centros sobre la multiplicación
- Lesson 9: Día de juegos de multiplicación
- Lesson 10: Multiplicación y división
- Lesson 11: Día de juegos de división

Section D: Inventa y diseña

- Lesson 12: Observa y pregúntate
- Lesson 13: ¿Cuántos ves?
- Lesson 14: Exploración de estimación
- Lesson 15: Conversación numérica

Pacing Guide

The number of days includes two assessment days per unit. The upper bound of the range includes optional lessons.



	Kindergarten	Grade 1	Grade 2
week 1	Unit 1 Math in Our World (18–19 days) Optional Lesson: 17	Unit 1 Adding, Subtracting, and Working with Data (16–17 days) Optional Lesson: 15	Unit 1 Adding, Subtracting, and Working with Data (16–20 days) Optional Lessons: 6, 12, 17, 18
week 2			
week 3			
week 4			
week 5	Unit 2 Numbers 1–10 (23–26 days) Optional Lessons: 7, 8, 24	Unit 2 Addition and Subtraction Story Problems (24–25 days) Optional Lesson: 23	Unit 2 Adding and Subtracting within 100 (15–19 days) Optional Lessons: 4, 10, 16, 17
week 6			
week 7			
week 8			
week 9	Unit 3 Flat Shapes All Around Us (16–17 days) Optional Lesson: 15	Unit 3 Adding and Subtracting within 20 (29–30 days) Optional Lesson: 28	Unit 3 Measuring Length (16–20 days) Optional Lessons: 7, 13, 17, 18
week 10			
week 11			
week 12			
week 13	Unit 4 Understanding Addition and Subtraction (18–20 days) Optional Lessons: 13, 18	Unit 4 Numbers to 99 (23–25 days) Optional Lessons: 12, 23	Unit 4 Addition and Subtraction on the Number Line (14–17 days) Optional Lessons: 6, 14, 15
week 14			
week 15			
week 16			
week 17	Unit 5 Composing and Decomposing Numbers to 10 (15–17 days) Optional Lessons: 4, 15	Unit 5 Adding within 100 (15–16 days) Optional Lesson: 14	Unit 5 Numbers to 1,000 (13–16 days) Optional Lessons: 7, 13, 14
week 18			
week 19			
week 20			
week 21	Unit 6 Numbers 0–20 (13–15 days) Optional Lessons: 2, 13	Unit 6 Length Measurements within 120 Units (18–19 days) Optional Lesson: 17	Unit 6 Geometry, Time, and Money (19–24 days) Optional Lessons: 5, 10, 14, 21, 22
week 22			
week 23			
week 24			
week 25	Unit 7 Solid Shapes All Around Us (17–18 days) Optional Lesson: 16	Unit 7 Geometry and Time (19–20 days) Optional Lesson: 18	Unit 7 Adding and Subtracting within 1,000 (16–21 days) Optional Lessons: 5, 11, 17, 18, 19
week 26			
week 27			
week 28			
week 29	Unit 8 Putting It All Together (17–23 days) Optional Lessons: 2, 4, 5, 17, 18, 19	Unit 8 Putting It All Together (12 days) Optional Lessons: none	Unit 8 Equal Groups (12–16 days) Optional Lessons: 5, 6, 13, 14
week 30			
week 31			
week 32			
week 33			Unit 9 Putting It All Together (15 days) Optional Lessons: none
week 34			




	Grade 3	Grade 4	Grade 5
week 1	Unit 1 Introducing Multiplication (22–23 days) Optional Lesson: 21	Unit 1 Factors and Multiples (8–10 days) Optional Lessons: 4, 8	Unit 1 Finding Volume (13–14 days) Optional Lesson: 12
week 2		Unit 2 Fraction Equivalence and Comparison (18–19 days) Optional Lesson: 17	Unit 2 Fractions as Quotients and Fraction Multiplication (17–19 days) Optional Lessons: 16, 17
week 3			
week 4		Unit 3 Extending Operations to Fractions (20–22 days) Optional Lessons: 19, 20	Unit 3 Multiplying and Dividing Fractions (20–22 days) Optional Lessons: 10, 20
week 5	Unit 2 Area and Multiplication (16–17 days) Optional Lessons: 15		
week 6	Unit 3 Wrapping Up Addition and Subtraction within 1,000 (22–23 days) Optional Lesson: 21	Unit 4 From Hundredths to Hundred-thousands (24–25 days) Optional Lesson: 23	Unit 4 Wrapping Up Multiplication and Division with Multi- Digit Numbers (20–22 days) Optional Lessons: 16, 20
week 7			
week 8	Unit 4 Relating Multiplication to Division (23–24 days) Optional Lesson: 22	Unit 5 Multiplicative Comparison and Measurement (19–20 days) Optional Lesson: 18	Unit 5 Place Value Patterns and Decimal Operations (26–28 days) Optional Lessons: 4, 26
week 9			
week 10	Unit 5 Fractions as Numbers (19–20 days) Optional Lesson: 18	Unit 6 Multiplying and Dividing Multi-digit Numbers (27–28 days) Optional Lesson: 26	Unit 6 More Decimal and Fraction Operations (21–23 days) Optional Lessons: 20, 21
week 11			
week 12	Unit 6 Measuring Length, Time, Liquid Volume, and Weight (17–18 days) Optional Lesson: 16	Unit 7 Angles and Angle Measurement (17–18 days) Optional Lesson: 16	Unit 7 Shapes on the Coordinate Plane (15 -16 days) Optional Lesson: 14
week 13			
week 14	Unit 7 Two-dimensional Shapes and Perimeter (16 - 17 days) Optional Lesson: 15	Unit 8 Properties of Two-dimensional Shapes (9–13 days) Optional Lessons: 6, 9, 10, 11	Unit 8 Putting It All Together (19–20 days) Optional Lesson: 9
week 15			
week 16	Unit 8 Putting It All Together (17 days) Optional Lessons: none	Unit 9 Putting It All Together (14 days) Optional Lessons: none	Unit 9 Putting It All Together (14 days) Optional Lessons: none
week 17			
week 18	Unit 9 Putting It All Together (17 days) Optional Lessons: none	Unit 10 Putting It All Together (14 days) Optional Lessons: none	Unit 10 Putting It All Together (14 days) Optional Lessons: none
week 19			
week 20	Unit 10 Putting It All Together (17 days) Optional Lessons: none	Unit 11 Putting It All Together (14 days) Optional Lessons: none	Unit 11 Putting It All Together (14 days) Optional Lessons: none
week 21			
week 22	Unit 11 Putting It All Together (17 days) Optional Lessons: none	Unit 12 Putting It All Together (14 days) Optional Lessons: none	Unit 12 Putting It All Together (14 days) Optional Lessons: none
week 23			
week 24	Unit 12 Putting It All Together (17 days) Optional Lessons: none	Unit 13 Putting It All Together (14 days) Optional Lessons: none	Unit 13 Putting It All Together (14 days) Optional Lessons: none
week 25			
week 26	Unit 13 Putting It All Together (17 days) Optional Lessons: none	Unit 14 Putting It All Together (14 days) Optional Lessons: none	Unit 14 Putting It All Together (14 days) Optional Lessons: none
week 27			
week 28	Unit 14 Putting It All Together (17 days) Optional Lessons: none	Unit 15 Putting It All Together (14 days) Optional Lessons: none	Unit 15 Putting It All Together (14 days) Optional Lessons: none
week 29			
week 30	Unit 15 Putting It All Together (17 days) Optional Lessons: none	Unit 16 Putting It All Together (14 days) Optional Lessons: none	Unit 16 Putting It All Together (14 days) Optional Lessons: none
week 31			
week 32	Unit 16 Putting It All Together (17 days) Optional Lessons: none	Unit 17 Putting It All Together (14 days) Optional Lessons: none	Unit 17 Putting It All Together (14 days) Optional Lessons: none
week 33			
week 34	Unit 17 Putting It All Together (17 days) Optional Lessons: none	Unit 18 Putting It All Together (14 days) Optional Lessons: none	Unit 18 Putting It All Together (14 days) Optional Lessons: none
week 35			


Dependency Chart

In the unit dependency chart, an arrow indicates that a particular unit is designed for students who already know the material in a previous unit. Reversing the order of the units would have a negative effect on mathematical or pedagogical coherence.





The following chart shows unit dependencies across the curriculum for IM Grades 3-8.



Section Dependency Diagrams

In the section dependency charts, an arrow indicates the prior section that contains content most directly designed to support or build toward the content in the current section.

